

Table of Contents

1 Introduction.....	1
1.1 The intestinal microbiota.....	1
1.1.1 Definition and composition.....	1
1.1.1.1 Temporal variability of the intestinal microbiota.....	2
1.1.1.2 Spatial variability of the intestinal microbiota.....	3
1.1.1.3 Microbiota variability among different host species.....	5
1.1.1.4 External factors that affect composition of the intestinal microbiota.....	6
1.1.2 Roles of the intestinal microbiota.....	7
1.1.2.1 Effect of the intestinal microbiota on the host metabolism.....	8
1.1.2.2 Intestinal microbiota-brain axis.....	10
1.1.2.3 Effect of the intestinal microbiota on maturation of the immune system...11	
1.1.2.4 Protection against pathogens.....	12
1.1.2.4.1 Protection mediated through microbiota induction of the immune system.....	13
1.1.2.4.2 Direct protection against pathogens conferred by the intestinal microbiota.....	14
1.2 Dysbiosis of the intestinal microbiota.....	16
1.2.1 Definition of the dysbiosis.....	16
1.2.2 Factors that promote microbiota dysbiosis.....	16
1.2.2.1 Diet as a promoter of microbiota dysbiosis.....	16
1.2.2.2 Inflammation as a promoter of microbiota dysbiosis.....	17
1.2.2.3 Antibiotic treatment as a promoter of microbiota dysbiosis.....	17
1.2.3 The effect of the dysbiosis on the host's health.....	19
1.2.3.1 Dysbiosis and non-infectious diseases.....	19
1.2.3.2 Dysbiosis and colonization of the intestinal tract by pathogens.....	20
1.2.3.2.1 Gut colonization by multidrug resistant Enterobacteriaceae (MRE)..	21
1.2.3.2.2 Dysbiosis as a consequence of colonization with intestinal pathogens.....	26
1.2.3.3 Epizootic rabbit enteropathy.....	27

1.2.4 Restoration of the intestinal microbiota.....	29
2 Objectives.....	33
3 Material and Methods.....	37
3.1 Experiments setup.....	37
3.1.1 Mouse experimental model.....	37
3.1.1.1 Treatment of mice with antibiotics.....	37
3.1.1.2 MRKP challenge in mice.....	38
3.1.1.3 Fecal transplant and administration of specific commensal bacteria to mice.....	40
3.1.1.3.1 Preparation of commensal bacterial mix obtained by cultivation of fecal samples from untreated mice in different cultivation media.....	40
3.1.1.3.2 Preparation of commensal bacterial mix obtained by isolation of different bacterial strains isolated from fecal samples of untreated mice.....	42
3.1.2 Fecal sample collection and MRE levels analysis in hospitalized patients.....	42
3.1.3 Experiments in rabbits for elucidating the role of dysbiosis in ERE.....	43
3.1.3.1 Food deprivation experiment.....	44
3.1.3.2 Infection of healthy rabbits with the putative infectious agent isolated from ERE rabbits.....	45
3.2 Isolation and characterization of intestinal bacteria from mice and rabbits.....	46
3.2.1 Cultivation and isolation of the intestinal bacteria.....	46
3.2.2 16S rRNA gene PCR of isolated intestinal bacteria.....	47
3.2.3 Obtaining the 16S rRNA gene sequence of the gut isolated bacteria using the Sanger reaction approach.....	48
3.2.4 Taxonomic identification of isolated bacteria using the 16S rRNA sequence obtained with the Sanger reaction.....	48
3.3 Detection, isolation and characterization of antibiotic resistant pathogens.....	49
3.3.1 Detection of the levels of colonization with MRKP in mice.....	49
3.3.2 Detection of MRE fecal levels in patients.....	49

3.3.3 Characterization of MRE strains from patients' fecal samples.....	50
3.3.3.1 Taxonomic confirmation of MRE strains by Maldi-TOF MS.....	50
3.3.3.2 Determination of antibiotic resistance patterns of MRE strains using the Vitek 2 System.....	50
3.4 DNA extraction from collected fecal samples.....	52
3.5 Quantitative PCR (qPCR).....	52
3.6 High-throughput sequencing of the 16S rRNA gene.....	53
3.6.1 16S rDNA high-throughput sequencing using the 454 platform.....	53
3.6.2 MiSeq Illumina sequencing.....	54
3.7 High-throughput 16S rDNA sequencing analysis.....	55
3.7.1 Analysis of sequences obtained using the 454 platform.....	55
3.7.2 Analysis of 16S rRNA sequences obtained using the MiSeq Illumina sequencing platform.....	56
3.7.3 Principal Coordinate of Analysis and Hierarchical clustering.....	57
3.8 Nextera sequencing of the genome of the <i>Clostridium</i> strain identified as a potential promoter of ERE in rabbits.....	57
3.9 Processing of the genome of the <i>Clostridium</i> strain associated with ERE.....	58
3.10 Statistical analysis and modeling.....	60
3.10.1 Statistical analysis applied in the mice studies.....	60
3.10.2 Statistical analysis applied for identification of clinical factors associated with MRE colonization levels in patients with leukemia.....	61
3.10.3 Application of the Lotka-Volterra (LV) model for the identification of commensal bacteria associated with resistance to MRE colonization in hospitalized patients.....	63
3.10.4 Statistical analysis applied in the study with rabbits.....	66
4 Results.....	73

4.1 Microbiota dysbiosis and MRE colonization and persistence in mice.....	73
4.1.1 The effect of antibiotic treatment on MRE intestinal colonization and persistence.....	73
4.1.2 Long-lasting changes in the microbiota composition as a result of antibiotic treatment promote MRKP intestinal colonization.....	82
4.1.3 Restoration of the CR and suppression of MRKP colonization.....	84
4.1.3.1 Restoration of the microbiota with a fecal transplant suppresses MRKP intestinal colonization.....	84
4.1.3.2 Effect of the administration of fecal microbiota anaerobic cultures in restoring CR against MRKP after antibiotic treatment.....	85
4.1.3.3 Identification of bacteria that could provide CR against MRKP.....	87
4.1.3.4 A commensal bacterial mix partially restores MRKP colonization resistance after antibiotic therapy.....	89
4.1.3.5 Partial microbiota recovery after administration of the bacterial mix.....	91
4.2 Microbiota dysbiosis and MRE colonization in hospitalized patients.....	95
4.2.1 Prevalence and characterization of MRE in acute leukemia patients.....	95
4.2.2 Non-microbiota variables associated with MRE intestinal levels.....	98
4.2.2.1 Impact of non-temporal variables on MRE intestinal levels.....	99
4.2.2.2 Impact of temporal variables on MRE intestinal levels.....	102
4.2.2.3 Clinical parameters associated with the intestinal colonization levels in the first MRE positive sample.....	111
4.2.3 Identification of bacteria associated with protection against MRE colonization in hospitalized patients.....	114
4.3 The role of the microbiota dysbiosis in ERE.....	123
4.3.1 ERE is characterized by dysbiosis of the intestinal microbiota.....	123
4.3.2 Microbiota dynamics after the weaning and before the ERE onset in healthy and ERE rabbits.....	128
4.3.3 Comparison of the microbiota composition of ERE rabbits on the day of disease onset with age-matched healthy littermate controls.....	132

4.3.4 Higher sequencing coverage using Illumina platform identifies a unique microbiota change the day of ERE onset.....	135
4.3.5 The effect of decreasing food consumption on ERE development and microbiota dysbiosis.....	137
4.3.6 Analysis of the genome of the OTU31 classified as <i>Clostridium</i> and associated with ERE onset.....	139
4.3.7 Attempt to reproduce ERE by administration of the <i>C. cuniculi</i> to healthy SPF rabbits.....	143
5 Discussion.....	147
5.1 Microbiota dysbiosis and MRE colonization and persistence in mice.....	147
5.2 Microbiota dysbiosis and MRE colonization in hospitalized patients.....	156
5.3 The role of the microbiota dysbiosis in ERE.....	167
6 Conclusions.....	175
7 Abbreviations.....	179
8 References.....	183