
Contents

Abstract

Acknowledgements

Contents **i**

List of Figures iv

List of Tables vi

Nomenclature vii

1. Introduction 1

 1.1. General Context 1

 1.2. Motivation 1

 1.3. Methodology 2

 1.3.1 Literature Review Overview 3

 1.3.2 Requirements for Industrialization 7

 1.3.3 Wall Temperature Modeling 8

 1.3.4 Investigation of Desired Properties 8

 1.3.5 Experimental and Analytic Investigations 8

 1.3.6 Novel Thermal Barrier Material Development 9

 1.4. Thesis Outline 9

2. Literature Review 10

 2.1. Introduction 10

 2.2. Heat Transfer Background 10

 2.3. Measurement and Estimation of In-Cylinder Heat Transfer 11

 2.4. Spark-Ignited Combustion Background 14

 2.5. Conventional Insulation in Literature 21

 2.6. Temperature-Swing Insulation in Literature 30

3.	Experimental Apparatus and Methods	36
3.1.	Introduction.....	36
3.2.	Material Properties Measurement.....	36
3.2.1	Thermal Diffusivity.....	36
3.2.2	Heat Capacity.....	37
3.3.	Experimental Engine and Test Facilities.....	38
3.4.	Experimental Methodology	40
3.5.	Experimental Data Analysis	42
3.5.1	Initial Calculations	42
3.5.2	Crevice/Porosity Model	44
3.5.3	In-Cylinder Properties	45
3.5.4	Heat Transfer Estimation	48
3.5.5	Heat Release Calculation.....	49
3.5.6	Energy Closure.....	50
3.5.7	Knock Amplitude.....	52
3.6.	Heat Flux Probe.....	52
3.6.1	Probe Construction and Operation.....	53
3.6.2	Conversion to Temperature and Heat Flux	54
4.	Computational Methods.....	56
4.1.	Introduction.....	56
4.2.	0D/1D Engine Thermodynamic Model.....	56
4.2.1	Model Description.....	56
4.2.2	Calibration to Experimental Data.....	57
4.3.	2D Thermal Wall Model	58
4.3.1	General Model Formulation	58
4.3.2	Optimal Finite-Element Organization	63
4.3.3	Component Temperature Initialization & Solution	67
4.3.4	Wall Temperature Model Validation	68
4.3.5	Model Calibration with Experimental Data	69
4.3.6	Discussion of Thermal Wall Model	73
4.4.	Coupling Thermodynamic & Thermal Models.....	74

4.5.	Coupling Experimental Data Analysis & Thermal Model.....	75
4.6.	Summary and Conclusions.....	76
5.	Analytical Material Properties Investigations.....	77
5.1.	Introduction.....	77
5.2.	Fixed Thermodynamic Conditions.....	77
5.2.1	Model Formulation.....	78
5.2.2	Analysis & Results.....	78
5.3.	Variable Thermodynamic Conditions.....	84
5.3.1	Simple Engine Geometry	84
5.3.2	Realistic Engine Geometries	89
5.4.	Summary and Conclusions.....	93
6.	Conventional Materials: Experimental Investigations.....	94
6.1.	Introduction.....	94
6.2.	Conventional Insulating Materials.....	94
6.3.	Test Plan	96
6.4.	Analysis and Results	97
6.4.1	Experimental Results	97
6.4.2	Simulated Performance.....	106
6.5.	Summary and Conclusions.....	111
7.	Novel Materials: Development and Testing	113
7.1.	Introduction.....	113
7.2.	Material Requirements.....	113
7.3.	Material Structure and Application.....	114
7.4.	Measured Properties	117
7.5.	Experimental Results	118
7.6.	Summary and Conclusions.....	123
8.	Conclusions and Future Directions	125
8.1.	Summary and Conclusions.....	125
8.2.	Future Work and Directions	127
9.	Works Cited.....	128

List of Figures

Figure 1-1: Material Thermal Properties and Estimated Temperature Swings	5
Figure 3-1: Thermal Diffusivity Measurement Technique.....	36
Figure 3-2: Combustion Chamber Schematic for Single-Cylinder Experimental Engine (Contoured Piston)	38
Figure 3-3: Combustion Chamber Temperature Calculation Regimes.....	46
Figure 3-4: Cylinder Mass and Valve Flow Calculation at 2000 RPM, 20 mg/cycle Fueling Point.....	47
Figure 3-5: Energy Accounting and Closure in Data Analysis Program.....	51
Figure 3-6: Knock Frequency Filtering and Amplitude Calculation	52
Figure 3-7: Heat Flux Sensor Construction, from (Hoffman, 2012).....	53
Figure 3-8: Heat Flux Probe Cold Junction and Amplification.....	54
Figure 4-1: Thermodynamic Model vs Experimental Pressure and Temperature Comparison	57
Figure 4-2: Thermodynamic Model vs Experimental Convection Coefficient and Total Heat Loss Comparison	58
Figure 4-3: Piston and Bore 2D Component, Path and Layer Depiction.....	61
Figure 4-4: Valves and Head 2D Component, Path and Layer Depiction	62
Figure 4-5: Surface Temperature Compensation Results vs. Node-as-Surface Temperature Assumption.....	63
Figure 4-6: Analytical Solution of the Decay of Temperature Swing with Depth in Continuous Material.....	64
Figure 4-7: Optimized 1-Dimensional Finite Element Mesh for Layered Materials..	65
Figure 4-8: Heat Transfer Within and Between Paths in a Component.....	66
Figure 4-9: Validation of Wall Temperature Model with Commercially Available Software	69

Figure 4-10: Thermal Model Calibration to Conditionally Averaged Crank-Angle-Resolved, Cycle-Averaged, and Spatially Averaged Piston and Head Measurements	70
Figure 4-11: Intake and Exhaust Valve Calibration, using Spatially and Temporally Averaged Surface Temperatures	73
Figure 5-1: Surface Temperature Swing for Various Hypothetical Materials at 100% Depth _{1%}	78
Figure 5-2: Thermal Resistance of Coating Layer and Heat Flux during Intake Stroke	80
Figure 5-3: Effects of Coating Thickness on Temperature Profile throughout Wall Thickness, on Temperature Swing, Intake Stroke Heating and Expansion Stroke Heat Losses.....	81
Figure 5-4: Coating Thickness Effects on Surface Temperature Profile, Effects of Material Thermal Properties on Expansion Heat Flux at 25% Depth _{1%} Coating Thickness.....	83
Figure 5-5: Surface Temperatures and Total Heat Transfer Rates at 2000 RPM, 60 mg Fueling Point.....	86
Figure 5-6: Difference in Heat Transfer Rate and Gas Temperature between Cases and Baseline	88
Figure 5-7: Logarithmic P-V and Difference in Instantaneous Indicated Piston Power from Baseline	89
Figure 5-8: Surface Temperatures and Total Heat Transfer Rates for Complete Engine Geometry	90
Figure 5-9: Piston Surface Temperatures and Total Heat Transfer Rates for All Points	91
Figure 5-10: Differences in Energies, NSFC and Volumetric Efficiency for All Points from Baseline	92
Figure 6-1: Crystalline Structure of a sample of Anisotropic BNT Material, from (Applied Thin Films Inc., 2011).....	95
Figure 6-2: BNT-Coated Pistons Prior to Installation in Experimental Engine.....	96

Figure 6-3: Reduction in Compression Ratio and Increase in Clearance Volume with Coating Thickness	97
Figure 6-4: Cumulative Energy Distribution of BNT-Coated Pistons at Three Loads, 2000 RPM.....	99
Figure 6-5: Predicted Piston Surface and Porosity Temperatures.....	101
Figure 6-6: Piston Convective and Porosity Heat Losses.....	102
Figure 6-7: Coating Effects on Engine Performance.....	103
Figure 6-8: Piston BNT Coating Appearance Post-Testing.....	103
Figure 6-9: 1000 μ m Coating Physical Degradation at 31 mg Fueling	105
Figure 6-10: Difference in Gas Temperature, Knock Amplitude, and Combustion Efficiency at 31mg Fueling.....	106
Figure 6-11: Individual Effects of 230 μ m Coating on Heat Loss and Indicated Power at 21 mg/cycle Fueling	108
Figure 6-12: Difference in Expansion plus Porosity Heat Transfer from Un-coated Baseline.....	110
Figure 6-13: Difference in Indicated Piston Work from Un-coated Baseline.....	111
Figure 7-1: Predicted Properties and Assumptions for Highly Porous Materials....	115
Figure 7-2: Effects of Sealing Layer over Hypothetical Material #1 on Surface Temperature Swing.....	116
Figure 7-3: Effects of Sealing Layer on Intake Heat Transfer and Surface Temp over Variable Thickness Insulation.....	117
Figure 7-4: Novel Insulating Coating Structure with Sealing Layer, Nickel-Coated Microspheres, and Sintered Microsphere Insulating Structure.....	118
Figure 7-5: Coated Intake Valves, Before and After In-Cylinder Firing Conditions.	119
Figure 7-6: Experimental Results from Baseline, Insulated Intake, and Insulated Exhaust Hardware Sets	120
Figure 7-7: Valve Face Temperatures for Baseline and Insulated Engine Builds at 10 and 30mg Fueling Rates.....	123

List of Tables

Table 3-1: Engine Geometry.....	38
Table 3-2: Experimental Engine Operating Conditions.....	41
Table 5-1: Hypothetical Material Thermal Properties.....	79
Table 5-2: Analytical Engine Operating Points	84
Table 5-3: Simple Engine Geometry Wall Layers.....	85