

# Contents

<b>I Thesis overview</b>	<b>1</b>
<b>1 Introduction</b>	<b>3</b>
1.1 Background . . . . .	3
1.2 Emissions regulation in automotive industry . . . . .	6
1.3 Control role in vehicular systems . . . . .	9
1.4 Objectives . . . . .	11
1.5 Methodology . . . . .	12
1.5.1 Dissertation organization . . . . .	12
<b>2 State of the art in automotive optimal control</b>	<b>17</b>
2.1 General overview . . . . .	17
2.2 Mathematical introduction to optimal control . . . . .	19
2.2.1 Considerations on constraints treatment . . . . .	20
2.3 ADAS: cruise control and eco-driving . . . . .	21
2.4 Powertrain management . . . . .	24
2.4.1 Engine control . . . . .	24
2.4.2 Hybrid powertrains: power-split control . . . . .	30
2.5 Design applications of optimal control . . . . .	36
2.5.1 Heat release law design . . . . .	36
2.5.2 Sizing of hybrid powertrains . . . . .	37
<b>II Analytic and experimental tools</b>	<b>57</b>
<b>3 Mathematical methods for dynamic optimization</b>	<b>59</b>
3.1 Introduction . . . . .	59
3.2 Hamilton-Jacobi-Bellman . . . . .	60
3.2.1 Dynamic Programming . . . . .	61
3.2.2 On the algorithm implementation . . . . .	65
3.3 Indirect method . . . . .	68

---

3.3.1	Pontryagin Minimum Principle . . . . .	69
3.3.2	Additional constraints . . . . .	70
3.3.3	Bang-bang and singular control . . . . .	72
3.3.4	On the algorithm implementation . . . . .	73
3.4	Direct methods . . . . .	75
3.4.1	Direct collocation . . . . .	77
3.4.2	On the algorithm implementation . . . . .	79
<b>4</b>	<b>Modeling</b>	<b>93</b>
4.1	Introduction . . . . .	93
4.2	Vehicle dynamics . . . . .	94
4.3	Transmission . . . . .	97
4.3.1	Gearbox . . . . .	97
4.3.2	Clutch . . . . .	99
4.3.3	Power-split device . . . . .	100
4.4	Electrical path . . . . .	103
4.4.1	Electric machines . . . . .	103
4.4.2	Batteries . . . . .	105
4.5	Internal combustion engine . . . . .	108
4.5.1	Intake manifold . . . . .	108
4.5.2	Exhaust manifold . . . . .	112
4.5.3	Turbocharger . . . . .	113
4.5.4	EGR system . . . . .	119
4.5.5	Cylinder . . . . .	121
4.5.6	Coolers . . . . .	130
4.5.7	Quasi-steady engine approach . . . . .	130
<b>5</b>	<b>Experimental tools</b>	<b>135</b>
5.1	Introduction . . . . .	135
5.2	System setup . . . . .	136
5.2.1	Setup A . . . . .	136
5.2.2	Setup B . . . . .	148
5.2.3	Setup C . . . . .	150
5.2.4	Setup D . . . . .	151
5.3	Test description . . . . .	153
5.3.1	Test 1 . . . . .	154
5.3.2	Test 2 . . . . .	156
5.3.3	Test 3 . . . . .	157
5.3.4	Test 4 . . . . .	159
5.3.5	Test 5 . . . . .	159
5.3.6	Test 6 . . . . .	160

5.3.7	Test 7 . . . . .	160
5.3.8	Test 8 . . . . .	161
<b>III</b>	<b>Applications to control, design and assessment</b>	<b>163</b>
<b>6</b>	<b>Optimal control of engines for predefined driving cycles</b>	<b>165</b>
6.1	Introduction . . . . .	165
6.2	LP- and HP-EGR splitting . . . . .	166
6.2.1	Problem description . . . . .	167
6.2.2	Problem formulation . . . . .	172
6.2.3	Optimization approach and implementation . . . . .	174
6.2.4	Results and discussion . . . . .	176
6.2.5	Conclusions . . . . .	181
6.3	Full engine control . . . . .	183
6.3.1	Problem description . . . . .	184
6.3.2	Problem formulation . . . . .	186
6.3.3	Optimization approach and implementation . . . . .	189
6.3.4	Results and discussion . . . . .	195
6.3.5	Conclusions . . . . .	203
<b>7</b>	<b>Optimal engine management with speed control</b>	<b>209</b>
7.1	Introduction . . . . .	209
7.2	Problem description . . . . .	210
7.3	Problem formulation . . . . .	211
7.4	Optimization approach and implementation . . . . .	212
7.5	Results and discussion . . . . .	215
7.6	Conclusions . . . . .	222
<b>8</b>	<b>Optimal power-split of a hybrid electric vehicle under driving cycle uncertainty</b>	<b>225</b>
8.1	Introduction . . . . .	225
8.2	Problem description . . . . .	226
8.3	Problem formulation . . . . .	227
8.4	Optimization approach and implementation . . . . .	228
8.4.1	Histogram-based $\mu$ estimation . . . . .	230
8.4.2	Histogram geotagging . . . . .	232
8.5	Results and discussion . . . . .	234
8.6	Conclusions . . . . .	236

---

<b>9 Applications to powertrain design and assessment</b>	<b>241</b>
9.1 Introduction . . . . .	241
9.2 Optimal heat release law . . . . .	242
9.2.1 Problem description . . . . .	242
9.2.2 Problem formulation . . . . .	243
9.2.3 Optimization approach and implementation . . . . .	246
9.2.4 Results and discussion . . . . .	247
9.2.5 Conclusions . . . . .	257
9.3 Optimal powertrain sizing . . . . .	258
9.3.1 Problem description . . . . .	259
9.3.2 Problem formulation . . . . .	260
9.3.3 Optimization approach and implementation . . . . .	267
9.3.4 Results and discussion . . . . .	269
9.3.5 Conclusions . . . . .	275
<b>IV Conclusion and future works</b>	<b>281</b>
<b>10 Conclusions and future works</b>	<b>283</b>
10.1 Main contributions and conclusions . . . . .	283
10.1.1 Control of diesel engines . . . . .	284
10.1.2 Full engine control . . . . .	285
10.1.3 Engine management and speed control . . . . .	286
10.1.4 Power-split of hybrid electric vehicles with no look-ahead information . . . . .	287
10.1.5 Design applications of optimal control . . . . .	288
10.2 Future works . . . . .	289
10.2.1 Powertrain modeling . . . . .	290
10.2.2 Additional constraints . . . . .	290
10.2.3 Comprehensive experimental validation . . . . .	291
10.2.4 Adaption to onboard applications . . . . .	291
10.2.5 Potential applications . . . . .	292
<b>Appendices</b>	<b>295</b>
<b>A From time domain to distance domain</b>	<b>297</b>
<b>Bibliography</b>	<b>299</b>